

Old Down Beggarwood Wildlife Group - Old Down Flora

Includes woodland beech break
Excludes species introduced in
the last 3/4 years

Species Recorded

	<u>Taxon Latin Name</u>	<u>Taxon Common Name</u>	<u>2002</u>	<u>2008</u>	<u>2009</u>	<u>2010 -</u>	<u>2011</u>
						<u>Mart</u>	<u>T</u>
							<u>Mund</u>
*	<i>Acer campestre</i>	Field Maple		R			v
	<i>Acer pseudoplatanus</i>	Sycamore	O	R			v
	<i>Achillea millefolium</i>	Yarrow		RLO	RLO	/	v
	<i>Aegopodium podagraria</i> L.	Ground Elder			RLF	/	
	<i>Aerifthusa cynapium</i>	Fools Parsley			F	/	
	<i>Agrimonia eupatoria</i>	Agrimony			O	/	v
	<i>Agrostis capillaris</i>	Common Bent		R		/	v
	<i>Agrostis stolonifera</i>	Creeping Bent		R		/	v
	<i>Alliaria petiolata</i>	Garlic Mustard	O		R	/	v
	<i>Allium Vineale</i>	Crow Garlic				/	
	<i>Anacamptis pyramidalis</i>	Pyramidal Orchid			O		
	<i>Anagallis arvensis</i>	Scarlet Pimpernel			O	/	v
	<i>Anemone nemorosa</i>	Wood Anemone	R				
	<i>Anisantha sterilis</i>	Barren Brome					v
	<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass				/	
	<i>Anthriscus sylvestris</i>	Cow Parsley			R	/	v
	<i>Anthyllis vulneraria</i>	Kidney Vetch		OLF	OLF	/	v
	<i>Arctium minus</i>	Lesser Burdock	R	R		/	v
	<i>Arenaria serpyllifolia</i>	Thyme-Leaved Sandwort		R		/	v
	<i>Arrhenatherum elatius</i>	False Oat-Grass		OLF		/	v
	<i>Artemisia vulgaris</i>	Mugwort		R	F	/	v
#	<i>Arum maculatum</i>	Lords-And-Ladies	O				v
	<i>Atriplex</i> sp.	Orache				/	
	<i>Bellis perennis</i>	Daisy		O		/	v
	<i>Betula pendula</i>	Silver Birch					v
	<i>Brachypodium pinnatum</i>	Tor Grass				/	
	<i>Brachypodium sylvaticum</i>	False-Brome	LF				v
	<i>Brassica oleracea</i>	Wild Cabbage				/	
	<i>Briza media</i>	Quaking-Grass		RLF		/	
	<i>Bromopsis erecta</i>	Upright Brome		RLO		/	
	<i>Bromopsis ramosa</i>	Hairy Brome	R				v
	<i>Bromus hordeaceus</i>	Soft-Brome		R		/	
	<i>Bromus sterilis</i>	Barren Brome				/	
	<i>Bryonia cretica</i>	White Bryony			O		
	<i>Campanula persicifolia</i>	Peach-leaved Bellflower					v
	<i>Campanula rotundifolia</i>	Harebell				/	
	<i>Capsella bursa-pastoris</i>	Shepherds Purse				/	v
	<i>Carduus nutans</i>	Musk Thistle		R		/	
	<i>Carex divulsa</i> subsp. <i>divulsa</i>	Grey Sedge					v
	<i>Centaurea cyanus</i>	Cornflower			O		v
	<i>Centaurea nigra</i>	Lesser Knapweed			O	/	
	<i>Centaurea scabiosa</i>	Greater Knapweed		RLO	RLO	/	v
	<i>Centaureum erythraea</i>	Common Centaury		OLF		/	v
	<i>Cerastium fontanum</i>	Common Mouse-Ear		RLO		/	v
	<i>Chaerophyllum temulentum</i>	Rough Chervil			O		v

Old Down Beggarwood Wildlife Group - Old Down Flora

<i>Chamerion angustifolium</i> (the same as <i>Epilobium ang.</i>)	Rosebay Willowherb	R			v
<i>Cirsium acaule</i>	Dwarf Thistle	O	F	/	v
<i>Cirsium arvense</i>	Creeping Thistle	O	O	/	v
<i>Cirsium vulgare</i>	Spear Thistle	R	O	/	v
<i>Clematis vitalba</i>	Traveller's Joy	R		/	v
<i>Clinopodium vulgare</i>	Wild Basil	R		/	v
<i>Convolvulus arvensis</i>	Field Bindweed				O
<i>Cornus mas</i>	Cornelian Cherry	O	A		
<i>Cornus sanguinea</i>	Dogwood		LF		v
<i>Corylus avellana</i>	Hazel	R	O	A	
<i>Crataegus monogyna</i>	Hawthorn		OLF	/	v
<i>Crepis capillaris</i>	Smooth Hawk's-Beard	O		/	v
<i>Cynosurus cristatus</i>	Crested Dog's-Tail		RLF	/	
<i>Dactylis glomerata</i>	Cock's-Foot	O	O		v
<i>Dactylorhiza fuschii</i>	Common Spotted Orchid	O	A	/	O
<i>Daucus carota</i>	Wild Carrot				v
<i>Dianthus deltoides</i>	Maiden Pink				v
<i>Dipsacus fullonum</i>	Wild Teasel			/	v
<i>Echium vulgare</i>	Vipers Bugloss			/	
<i>Elytrigia repens</i>	Couch Grass		A	/	
<i>Epilobium angustifolium</i>	Rosebay Willowherb	R			
<i>Epilobium ciliatum</i>	American Willowherb	R		/	v
<i>Epilobium hirsutum</i>	Great Willowherb	R			v
<i>Epilobium parviflorum</i>	Hoary Willowherb		R	/	
<i>Epilobium tetragonum</i>	Square-stalked Willowherb				v
<i>Erigeron acer</i>	Blue Fleabane		F		v
<i>Erodium cicutarium</i>	Common Storksbill	R	O		
<i>Euonymus europaeus</i>	Spindle	O	R	/	
<i>Euphorbia amygdaloides</i>	Wood Spurge	R	A		
<i>Euphorbia peplus</i>	Petty Spurge				v
<i>Fagus sylvatica</i>	Beech	D		/	v
<i>Festuca ovina</i>	Sheep's Fescue			/	
<i>Festuca pratensis</i>	Meadow Fescue		ALD	/	
<i>Festuca rubra</i>	Red Fescue	R			v
<i>Fragaria vesca</i>	Wild Strawberry	R	O		v
<i>Fraxinus excelsior</i>	Ash		R	/	v
<i>Fumaria officinalis</i>	Common Fumitory		R	/	
<i>Galium album</i>	Hedge Bedstraw	R		/	
<i>Galium aparine</i>	Cleavers			/	v
<i>Galium mollugo</i>	Hedge Bedstraw		v		v
<i>Galium odoratum</i>	Sweet Woodruff	RLF	RLF	/	v
<i>Galium verum</i>	Lady's Bedstraw	R		/	v
<i>Geranium columbinum</i>	Long-stalked Crane's-bill				v
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill				v
<i>Geranium dissectum</i>	Cut Leaved Crane's Bill	R	O	/	
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-Bill		O	/	
<i>Geranium robertianum</i>	Herb-Robert	O			v
<i>Geum urbanum</i>	Herb Bennet or Wood Avens	O	LF	/	v
<i>Glechoma hederacea</i>	Ground Ivy			/	v
<i>Hammamelis ?</i>	Witch (or Wytch) Hazel	R	O	/	
<i>Hedera helix</i>	Ivy	A			v
<i>Heracleum sphondylium</i>	Hogweed			/	v

Old Down Beggarwood Wildlife Group - Old Down Flora

	<i>Hieracium</i> sp.	Hawkweed			/	
	<i>Hieracium umbellatum</i>	Narrow leaved Hawkweed		O		
	<i>Hippocrepis comosa</i>	Horseshoe Vetch		OLF	/	
	<i>Holcus lanatus</i>	Yorkshire-Fog		O	F	v
	<i>Hyacinthoides non-scripta</i>	Bluebell			O	v
	<i>Hypericum perforatum</i>	Perforate St. John's-Wort			O	/
	<i>Hypochaeris radicata</i>	Cats ear			O	
	<i>Ilex aquifolium</i>	Holly	LA	R		/
	<i>Knautia arvensis</i>	Field Scabious				/
	<i>Lactuca serriola</i>	Prickly Lettuce			RLF	/
	<i>Lamium album</i>	White Dead Nettle				/
	<i>Lamium amplexicaule</i>	Henbit Deadnettle		R		/
	<i>Lapsana communis</i>	Nipplewort			OLF	
	<i>Lathraea squamaria</i>	Common Toothwort		R	OLF	/
	<i>Lathyrus pratensis</i>	Meadow Vetchling			R	
	<i>Legousia hybrida</i>	Venus Looking Glass				/
	<i>Leontodon autumnalis</i>	Autumn Hawkbit				
	<i>(Scorzoneroide autumnalis)</i>	Autumn Hawkbit			OLF	/
	<i>Leontodon hispidus</i>	Rough Hawkbit		RLF	RLF	/
	<i>Leucanthemum vulgare</i>	Oxeye Daisy		O		
	<i>Ligustrum vulgare</i>	Wild Privet		O	R	OLF
	<i>Linaria vulgaris</i>	Common Toadflax			F	/
	<i>Lolium perenne</i>	Perennial Rye-Grass			R	RLF
	<i>Lotus corniculatus</i>	Common Bird's-Foot-Trefoil				/
	<i>Lotus pedunculatus</i>	Greater Bird's-foot-trefoil	????			
	<i>Luzula campestris</i>	Field Wood-rush			O	/
	<i>Malus domestica</i>	Apple				
	<i>Malva moschata</i>	Musk Mallow		R	LF	/
	<i>Matricaria discoidea</i>	Pineappleweed				
	<i>Medicago lupulina</i>	Black Medick				/
	<i>Melilotus officinalis</i>	Ribbed Melilot			RLF	/
#	<i>Mercurialis perennis</i>	Dog's Mercury	A	R	R	/
	<i>Myosotis arvensis</i>	Field Forget-Me-Not			O	/
	<i>Odontites vernus</i>	Red Bartsia		O	OLF	/
	<i>Ononis repens</i>	Common Restharrow			RLF	
	<i>Origanum vulgare</i>	Wild Marjoram			RLF	LF
	<i>Ornithopus perpusillus</i>	Birdsfoot			F	
	<i>Orobanche minor</i>	Common Broomrape			OLF	/
	<i>Pavaver rhoeas</i>	Common Poppy			OLF	/
	<i>Pastinaca sativa</i>	Wild Parsnip		R		/
	<i>Phleum bertolonii</i>	Smaller Cat's-tail				
	<i>Phleum pratense</i>	Timothy			RLO	/
	<i>Picris echioides</i>	Bristly Oxtongue				
	<i>Plantago lanceolata</i>	Ribwort Plantain			OLF	/
	<i>Plantago major</i>	Greater Plantain			O	/
	<i>Plantago media</i>	Hoary Plantain			RLF	RLF
	<i>Poa annua</i>	Annual Meadow-Grass			O	/
	<i>Poa nemoralis</i>	Wood Meadow-grass		R		
	<i>Poa pratensis</i>	Smooth Meadow-grass				
	<i>Poa trivialis</i>	Rough Meadow-Grass		R		/
	<i>Polygonatum multiflorum</i>	Solomon's-seal				O

Old Down Beggarwood Wildlife Group - Old Down Flora

	<i>Polygonum aviculare</i>	Knotgrass	R	/	v
	<i>Potentilla reptans</i>	Creeping Cinquefoil		/	
	<i>Potentilla reptans</i>	Creeping Cinquefoil		LF	v
	<i>Primula veris</i>	Cowslip	RLF	RLF /	v
	<i>Primula vulgaris</i>	Primrose		R /	v
	<i>Prunella vulgaris</i>	Selfheal	O	O /	v
	<i>Prunus avium</i>	Wild Cherry		F	
	<i>Prunus domestica</i>	Wild Plum			v
#	<i>Prunus spinosa</i>	Blackthorn	O	R F	v
	<i>Pulicaria dysenterica</i>	Common Fleabane		/	v
	<i>Quercus robur</i>	Pedunculate oak		O	v
	<i>Ranunculus acris</i>	Meadow Buttercup	R	OLF /	
	<i>Ranunculus bulbosus</i>	Bulbous Buttercup	RLO	RLO /	
	<i>Ranunculus ficaria</i>	Lesser Celandine		R /	
	<i>Ranunculus repens</i>	Creeping Buttercup	R	O /	v
	<i>Reseda lutea</i>	Wild Mignonette	R	O /	v
	<i>Rhinanthus minor</i>	Yellow-Rattle	RLF	OLF /	v
	<i>Ribes uva-crispa</i>	Gooseberry			v
	<i>Rosa arvensis</i>	Field Rose	O		
	<i>Rosa canina</i>	Dog Rose	O	O A	v
	<i>Rubus caesius</i>	Dewberry			v
	<i>Rubus fruticosus agg.</i>	Bramble	O	RLF /	v
	<i>Rubus idaeus</i>	Wild raspberry	R	RLF /	
	<i>Rumex acetosa</i>	Common Sorrel		/	
	<i>Rumex crispus</i>	Curled Dock		/	
	<i>Rumex obtusifolius</i>	Broad-Leaved Dock	R	/	v
	<i>Rumex sanguineus</i>	Wood Dock			v
	<i>Sagina procumbens</i>	Procumbent Pearlwort		/	
	<i>Salix caprea</i>	Sallow or Goat Willow		R	v
	<i>Sambucus nigra</i>	Elder	O	R F	v
	<i>Sanguisorba minor</i>	Salad Burnet		R /	
	<i>Sanicula europaea</i>	Sanicle	O		v
	<i>Scrophularia nodosa</i>	Common Figwort		/	
	<i>Senecio erucifolius</i>	Hoary Ragwort	R		v
	<i>Senecio jacobaea</i>	Common Ragwort	FLA	/	v
	<i>Senecio vulgaris</i>	Groundsel		/	
	<i>Sherardia arvensis</i>	Field Madder	R	/	v
	<i>Silene dioica</i>	Red Campion			O
	<i>Silene latifolia</i>	White Campion	R	/	
	<i>Silene vulgaris</i>	Bladder Campion		O	
	<i>Sinapis arvensis</i>	Charlock or Wild Mustard		/	
	<i>Sison amomum</i>	Stone Parsley			v
	<i>Sisymbrium officinale</i>	Hedge Mustard		/	v
	<i>Solanum dulcamara</i>	Bittersweet			v
	<i>Sonchus arvensis</i>	Perennial Sow Thistle		/	v
	<i>Sonchus asper</i>	Prickly Sow Thistle	R	/	v
	<i>Sonchus oleraceus</i>	Common Sow Thistle		/	v
	<i>Sorbus aria</i>	Whitebeam	O	R	v
	<i>Stachys sylvatica</i>	Hedge Woundwort		O /	v
	<i>Stellaria graminea</i>	Lesser Stitchwort			v
	<i>Symphytum officinale</i>	Common Comfrey		O /	
	<i>Symphytum x uplandicum</i>	Russian Comfrey (S. asperum x officinale)			v
	<i>Tamus communis</i>	Black bryony	O	O	v
	<i>Taraxacum officinale agg</i>	Dandelion	R	R /	v

Old Down Beggarwood Wildlife Group - Old Down Flora

<i>Taxus baccata</i>	Yew	R	R			v
<i>Thymus serpyllum</i>	Wild Thyme			?		
<i>Torilis japonica</i>	Upright Hedge-Parsley		R		/	v
<i>Tragopogon pratensis</i>	Goat's-Beard		R	R	/	v
<i>Trifolium campestre</i>	Hop Trefoil		O		/	v
<i>Trifolium dubium</i>	Lesser Trefoil		R		/	
<i>Trifolium pratense</i>	Red Clover		OLF		/	v
<i>Trifolium repens</i>	White Clover		OLF		/	v
<i>Tripleurospermum maritimum</i>	Sea Mayweed				/	
<i>Trisetum Flavescens</i>	Yellow Oat Grass			O	/	
<i>Tussilago farfara</i>	Coltsfoot			LF	/	
<i>Ulex europaeus</i>	Gorse		R		/	
<i>Urtica dioica</i>	Common Nettle		R		/	v
<i>Verbascum thapsus</i>	Great Mullein		R	R		
<i>Veronica arvensis</i>	Common Speedwell				/	v
<i>Veronica chamaedrys</i>	Germander Speedwell		O		/	v
<i>Veronica persica</i>	Common Field-Speedwell			R	/	v
<i>Viburnum lantana</i>	Wayfaring Tree		O		A	v
<i>Vicia cracca</i>	Tufted Vetch			RLO	/	v
<i>Vicia hirsuta</i>	Hairy Tare	O			F	
<i>Vicia sativa</i>	Common Vetch				LA	/
<i>Vicia tetrasperma</i>	Smooth Tare			R	O	/
<i>Viola arvensis</i>	Field Pansy		R	R	/	v
<i>Viola riviniana</i>	Common Dog-violet				v	

21 new species for 2011